



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue, Suite 155
Seattle, WA 98101-3123

OFFICE OF
WATER AND WATERSHEDS

OCT - 3 2018

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Reply to
Attn of: OWW-191

Mr. John Cardwell
Regional Administrator
Lewiston Regional Office
Idaho Department of Environmental Quality
1118 "F" Street
Lewiston, ID 83501

Re: Request for Preliminary Clean Water Act Section 401 Certification of NPDES Draft Permit for Idaho Transportation Department-District #2 Municipal Separate Storm Sewer System (MS4), NPDES Permit No. IDS028258

Dear Mr. Cardwell:

Enclosed is a preliminary draft of the National Pollutant Discharge Elimination System (NPDES) permit plus a fact sheet for the Idaho Transportation Department-District #2 MS4. We are asking for the Idaho Department of Environmental Quality (IDEQ) to review and provide a preliminary Clean Water Act (CWA) Section 401 Certification for this permit action.

We intend to issue this permit as soon as possible. To meet this schedule, we are asking for your review within 30 days. We look forward to receiving your preliminary certification by November 2, 2018. If we receive the certification prior to public notice of the permit, we will include a reference to the State's certification in the public notice along with a copy of the certification in the fact sheet. The public notice of the permit may also fulfill the IDEQ's public notice requirements for certification under CWA Section 401(a)(1).

Since this preliminary draft is not intended for review outside of IDEQ, we appreciate your discretion in retaining it within the department. Please keep us up-to-date about the status of your review. If you have any questions, please contact Misha Vakoc at 206-553-6650 or 1-800-424-4372 ext. 3-6650, or Vakoc.misha@epa.gov. We look forward to your comments on this draft permit.

Sincerely,


Michael J. Lidgard, Manager
NPDES Permits Unit

Enclosures

cc: Sujata Connell, IDEQ Lewiston Regional Office (via email)
Loren Moore, IDEQ (via email)